

Abstract Submitted  
for the MAR08 Meeting of  
The American Physical Society

Sorting Category: 05.17.1 (E)

**High pressure synthesis of single crystalline  $\text{MgB}_2$** <sup>1</sup> M. TILLMAN, Ames Lab / Iowa State University, G. LAPERTOT, CEA-Grenoble, DRFMC/SPSMS/IMAPEC, R. PROZOROV, C. MARTIN, S.L. BUD'KO, P.C. CANFIELD, Ames Lab / Iowa State University — We report the results of single crystal growth of  $\text{MgB}_2$ . A high pressure furnace, using a 19 mm truncation edge length, cubic anvil capable of reaching 3.3 GPa and 2000 C was used to grow crystals of  $\text{MgB}_2$  out of the Mg-B-N ternary. Design, setup, and calibration will be discussed as well as correlations between pressure and temperature profiles and crystal size. Results of measurements of penetration depth and  $H_{c2}(T)$  on single crystals will be shown as well as the results of initial doping studies.

<sup>1</sup>Work at the Ames Laboratory was supported by the Department of Energy, Basic Energy Sciences under Contract No. DE-AC02-07CH11358.

☒ Prefer Oral Session  
☐ Prefer Poster Session

P.C. Canfield  
canfield@ameslab.gov

Date submitted: 29 Nov 2007

Electronic form version 1.4